INDEX

IEE Proceedings Part B
Electric Power Applications
Vol. 128, 1981

Abbreviations
p Paper, address or lecture
d Discussion on a paper
a Abstract of paper or address
e Errata
s Synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Abdel-Hamid, R.H., Chalmers, B.J., and Spooner, E. see Chalmers, B.J.
Abdel Karim, A., Mehta, P., and Thomson, T. see Mehta, P.
Abu-Nasser, A., and Yacamini, R. see Yacamini, R.
Acarnley, P.P., and Hughes, A. Predicting the pullout torque/speed curve of variable-reluctance stepping motors p109
Afacan, O., Yacamini, R., and Hamoud, O.A.R. see Yacamini, R.
Afanasiev, A.A., Barrault, M.R., Blackburn, T.R., Jones, G.R., and Sethuraman, S.K. Characteristics of electromagnetically driven helix arcs for DC switching p249
Ainsworth, J.D. Dedicated-microprocessor scheme for thyristor phase control of multiphase convertors d275
Anderson, A.F., Bedford, T., and Craddock, A.F. Transient leakage flux in small universal motors p253
Ashen, R.A., and Bolton, H.R. Aspects of the hypocycloidal reluctance motor p313

B

Balchin, M.J., Eastham, J.F., and Rodger, D. see Eastham, J.F.
Barrault, M.R., Afanasiev, A.A., Blackburn, T.R., Jones, G.R., and Sethuraman, S.K. see Afanasiev, A.A.
Bedford, T., Anderson, A.F., and Craddock, A.F. see Anderson, A.F.
Binns, K.J., and Jabbar, M.A. High-field self-starting permanent-magnet synchronous motor p157
Binns, K.J., and Kahan, P.A. Effect of load on the tangential-force pulsations and harmonic torques of squirrel-cage induction motors p207
Blackburn, T.R., Afanasiev, A.A., Barrault, M.R., Jones, G.R., and Sethuraman, S.K. see Afanasiev, A.A.
Blake, R.J., Davis, R.M., and Ray, W.F. see Davis, R.M.
Blenkinsop, P.T., Lawrenson, P.J., Stephenson, J.M., Corda, J., and Fulton, N.N. see Lawrenson, P.J.
Bolton, H.R., and Ashen, R.A. see Ashen, R.A.
Bolton, H.R., and Dawson, C. see Dawson, C.
Bourne, R. Measurement of no-load losses in induction machines p273
Bowes, S.R., and Mount, M.J. Microprocessor control of PWM inverters p293
Broadway, A.R.W., and Rodriguez, J.L. Delta-star PAM p255

C

Chalmers, B.J., Abdel-Hamid, R.H., and Spooner, E. Single-phase drive system with a synchronous-phase convertor p55
Chalmers, B.J., and Dukes, B.J. High-performance eddy-current dynamometers d176
Chalmers, B.J., Spooner, E., and Abdel-Hamid, R.H. Single-phase traction drive with solid-rotor induction motor and synchronous phase convertor p285
Chan, F.H.Y., Tso, S.K., Lam, F.K., and Edgley, R.K. see Tso, S.K.
Corda, J., Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., and Fulton, N.N. see Lawrenson, P.J.
Craddock, A.F., Anderson, A.F., and Bedford, T. see Anderson, A.F.

D

Davat, B., Hapiot, J.C., and Foch, H. Application of a global simulation method to the study of faults in the function of a static convertor p338
Davies, E.J., and Wright, M.T. High-performance eddy-current dynamometers d176
Davis, R.M., Ray, W.F., and Blake, R.J. Inverter drive for switched reluctance motor: circuits and component ratings p126
Dawson, C., and Bolton, H.R. Cooling by heat pipe in a limited rotation rotary actuator p222
Dukes, B.J., and Chalmers, B.J. see Chalmers, B.J.

E

Eastham, J.F., Balchin, M.J., and Rodger, D. Measurement and calculation of rotor-core flux densities in axial flux linear induction motors p323
Eastham, J.F., and Evans, P.D. see Evans, P.D.
Edgley, R.K., Tso, S.K., Lam, F.K., and Chan, F.H.Y. see Tso, S.K.
Evans, P.D., and Eastham, J.F. Disc-geometry homopolar synchronous machine d269
Evans, P.D., and Saied, B.M. Fault-current control in power conditioning units using power transistors p335

F

Farrer, W., and Murgatroyd, P.N. see Murgatroyd, P.N.
Foch, H., Davat, B., and Hapiot, J.C. see Davat, B.
Fulton, N.N., Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., and Corda, J. see Lawrenson, P.J.

G

Girgis, R.S., and Verma, S.P. Method for accurate determination of resonant frequencies and vibration behaviour of stators of electrical machines p1
Girgis, R.S., and Verma, S.P. see Verma, S.P.
Grant, D.A. Technique for pulse dropping in pulse-width modulated inverters p67
Grant, D.A., and Seidner, R. Ratio changing in pulse-width-modulated inverters p243

H

Hamoud, O.A.R., Yacamini, R., and Afacan, O. see Yacamini, R.
Hapiot, J.C., Davat, B., and Foch, H. see Davat, B.
Harley, R.G., and Limebeer, D.J.N. see Limebeer, D.J.N.
Hesmondhalgh, D.E., and Tipping, D. Translational forces on discrete metallic objects in travelling magnetic fields p137
Hill, R.J. Fail-safe speed sensor for London Transport automatic trains p277
Ho, P.T., and Tso, S.K. see Tso, S.K.
Hughes, A., and Acarnley, P.P. see Acarnley, P.P.

I

Itani, K., Iwamoto, M., Sakabe, S., Kitagawa, K., and Utsumi, G. see Iwamoto, M.
Iwamoto, M., Sakabe, S., Itani, K., Kitagawa, K., and Utsumi, G. Experimental and theoretical study of high-speed single-sided linear induction motors p306

J

Jabbar, M.A., and Binns, K.J. see Binns, K.J.
Jones, G.R., Afanasiev, A.A., Barrault, M.R., Blackburn, T.R., and Sethuraman, S.K. see Afanasiev, A.A.

K

Kahan, P.A., and Binns, K.J. see Binns, K.J.
Kerkman, R.J. Maching analysis with unbalanced terminal constraints by *d-q* harmonic balance p343
Kitagawa, K., Iwamoto, M., Sakabe, S., Itani, K., and Utsumi, G. see Iwamoto, M.
Kuznetsov, S.B., and Laithwaite, E.R. see Laithwaite, E.R.

L

Laithwaite, E.R., and Kuznetsov, S.B. Power-factor improvement in linear induction motors p190
Lam, F.K., Tso, S.K., Chan, F.H.Y., and Edgley, R.K. see Tso, S.K.
Lawrenson, P.J., Stephenson, J.M., Blenkinsop, P.T., Corda, J., and Fulton, N.N. Variable-speed switched reluctance motors d260 e276

Limebeer, D.J.N., and Harley, R.G. Subsynchronous resonance of deep-bar induction motors p43
Limebeer, D.J.N., and Harley, R.G. Subsynchronous resonance of single-cage induction motors p33

M

Mapps, D.J., and White, P.J. Investigation of available toggle switches for thermostatic control systems p237
Mehta, P., Thomson, T., and Abdel Karim, A. Shorting-coil voltage regulator p52
Mount, M.J., and Bowes, S.R. see Bowes, S.R.
Murgatroyd, P.N., and Farrer, W. Optimised designs of toroidal cage coils p195

P

Pearson, D., Williamson, S., and Rugege, A.M. see Williamson, S.
Pradhan, B.D., Sriraghavan, S.M., and Revankar, G.N. see Sriraghavan, S.M.
Prickett, B.R. Electrification of the Tyne and Wear Metro p81 d271

Q

Quinney, D.A. Dynamic response of a power-transformer winding under axial short-circuit conditions p114

R

Rashid, M.H. Automatic armature and field control of d.c. series motors p73 d358
Ray, W.F., Davis, R.M., and Blake, R.J. see Davis, R.M.
Revankar, G.N., Sriraghavan, S.M., and Pradhan, B.D. see Sriraghavan, S.M.
Rodger, D., Eastham, J.F., and Balchin, M.J. see Eastham, J.F.
Rodriguez, J.L., and Broadway, A.R.W. see Broadway, A.R.W.
Romano, I., and Schifani, R. Effects of 3rd-harmonic voltage content on dielectric losses of solid insulating materials p119
Rugege, A.M., Williamson, S., and Pearson, D. see Williamson, S.

S

Saied, B.M., and Evans, P.D. see Evans, P.D.
Sakabe, S., Iwamoto, M., Itani, K., Kitagawa, K., and Utsumi, G. see Iwamoto, M.
Salvatore, L., and Savino, M. Experimental determination of synchronous machine parameters p212
Savino, M., and Salvatore, L. see Salvatore, L.
Schifani, R., and Romano, I. see Romano, I.
Seidner, R., and Grant, D.A. see Grant, D.A.
Sethuraman, S.K., Afanasiev, A.A., Barrault, M.R., Blackburn, T.R., and Jones, G.R. see Afanasiev, A.A.
Smith, W.J., and Yacamini, R. see Yacamini, R.
Spooner, E., Chalmers, B.J., and Abdel-Hamid, R.H. see Chalmers, B.J.
Sriraghavan, S.M., Pradhan, B.D., and Revankar, G.N. Three-phase pulse-amplitude and width-modulated inverter system p167
Stephenson, J.M., Lawrenson, P.J., Blenkinsop, P.T., Corda, J., and Fulton, N.N. see Lawrenson, P.J.

T

Thomson, T., Mehta, P., and Abdel Karim, A. see Mehta, P.
Thorn, L.C. Experience with London Transport's traction motors p181
Tierney, J.R., and Turner, R.J. Improvement to the booster transformer/return conductor method of suppressing 50 Hz interference from a.c.-electrified railway systems p61
Tipping, D., and Hesmondhalgh, D.E. see Hesmondhalgh, D.E.
Tso, S.K., and Ho, P.T. Dedicated-microprocessor scheme for thyristor phase control of multiphase convertors p101 d275
Tso, S.K., Lam, F.K., Chan, F.H.Y., and Edgley, R.K. Attenuation effects of under-track reinforcing on automatic train protection signalling systems p92
Turner, R.J., and Tierney, J.R. see Tierney, J.R.

U

Utsumi, G., Iwamoto, M., Sakabe, S., Itani, K., and Kitagawa, K. see Iwamoto, M.

V

Van Bladel, J. Induction at a corner in perfect iron p219
Verma, S.P., and Girgis, R.S. Experimental verification of resonant frequencies and vibration behaviour of stators of electrical machines. Part 1-Models, experimental procedure and apparatus p12
Verma, S.P., and Girgis, R.S. Experimental verification of resonant frequencies and vibration behaviour of stators of electrical machines. Part 2-Experimental investigations and results p22
Verma, S.P., and Girgis, R.S. see Girgis, R.S.

W

Watson, D.B. Induction motor drive from self-commutating inverter p79
White, P.J., and Mapps, D.J. see Mapps, D.J.
Williamson, S., Pearson, D., and Rugege, A.M. Acoustic noise and pulsating torques in a triac-controlled permanent-split-capacitor fan motor p201
Wright, M.T., and Davies, E.J. see Davies, E.J.

Y

Yacamini, R. Load-line diagrams applied to reactive compensated loads in AC systems p172
Yacamini, R., and Abu-Nasser, A. Numerical calculation of inrush current in single-phase transformers p327
Yacamini, R., Hamoud, O.A.R., and Afacan, O. Modelling of traction load distortion in electricity supply systems p149
Yacamini, R., and Smith, W.J. Negative sequence impedance of convertors p161
Yoshida, K. New transfer-matrix theory of linear induction machines, taking into account longitudinal and transverse ferromagnetic end effects p225

Contributors to Discussions Published in IEE Proceedings Part B

Amor, C.F., 269
Anderson, A.F., 265

Bolton, H.R., 262, 269
Bourne, R., 265
Bridle, N., 269
Byrne, J.V., 263

Capaldi, B., 269

Devitt, F., 264

Ellis, I., 272

Grant, J.C., 271

Harris, M.R., 260

Mangan, M.F., 265
Mellitt, B., 272
Merrett, J., 264

Paul, R.J.A., 264

Schwarz, K.K., 264
Smith, G.B., 263
Smith, P.D., 272
Steven, R.E., 269
Stuart, M., 272
Sturland, R.W., 271

Ward, P.A., 263
Woodmore, M.J., 271

Subject index

ARCING

Characteristics of electromagnetically driven helix arcs for DC switching. A.A.Afanasiev, M.R.Barrault, T.R.Blackburn, G.R.Jones and S.K.Sethuraman p249
Investigation of available toggle switches for thermostatic control systems. D.J.Mapps and P.J.White p237

BATTERIES AND CELLS

Application of a global simulation method to the study of faults in the function of a static convertor. B.Davat, J.C.Hapiot and H.Foch p338

CAPACITANCE AND CAPACITORS

Subsynchronous resonance of deep-bar induction motors. D.J.N.Limebeer and R.G.Harley p43
Subsynchronous resonance of single-cage induction motors. D.J.N.Limebeer and R.G.Harley p33

COMPUTER APPLICATIONS

Automatic armature and field control of d.c. series motors. M.H.Rashid p73 d358
Disc-geometry homopolar synchronous machine. P.D.Evans and J.F.Eastham d269

CONTROL EQUIPMENT AND APPLICATIONS

Fail-safe speed sensor for London Transport automatic trains. R.J.Hill p277

CONTROL-SYSTEM SYNTHESIS

Fail-safe speed sensor for London Transport automatic trains. R.J.Hill p277

CONVERTORS

Application of a global simulation method to the study of faults in the function of a static convertor. B.Davat, J.C.Hapiot and H.Foch p338
Dedicated-microprocessor scheme for thyristor phase control of multiphase convertors. S.K.Tso and P.T.Ho p101 d275
Negative sequence impedance of convertors. R.Yacamini and W.J Smith p161
Single-phase drive system with a synchronous-phase convertor. B.J.Chalmers, R.H.Abdel-Hamid and E.Spooner p55
Single-phase traction drive with solid-rotor induction motor and synchronous phase convertor. B.J.Chalmers, E.Spooner and R.H.Abdel-Hamid p285

DIELECTRICS

Effects of 3rd-harmonic voltage content on dielectric losses of solid insulating materials. I.Romano and R.Schifani p119

DIGITAL COMPUTERS AND COMPUTATION

Dedicated-microprocessor scheme for thyristor phase control of multiphase convertors. S.K.Tso and P.T.Ho p101 d275

FAULT LOCATION

High-performance eddy-current dynamometers. B.J.Chalmers and B.J.Dukes d176

INDUCTION MOTORS

Acoustic noise and pulsating torques in a triac-controlled permanent-split-capacitor fan motor. S.Williamson, D.Pearson and A.M.Rugege p201
Effect of load on the tangential-force pulsations and harmonic torques of squirrel-cage induction motors. K.J.Binns and P.A.Kahan p207
Experimental and theoretical study of high-speed single-sided linear induction motors. M.Iwamoto, S.Sakabe, K.Itani, K.Kitagawa and G.Utsumi p306
Induction motor drive from self-commutating inverter. D.B.Watson p79
Measurement and calculation of rotor-core flux densities in axial flux linear induction motors. J.F.Eastham, M.J.Balchin and D.Rodger p323
Measurement of no-load losses in induction machines. R.Bourne p273
Power-factor improvement in linear induction motors. E.R.Laithwaite and S.B.Kuznetsov p190
Single-phase drive system with a synchronous-phase convertor. B.J.Chalmers, R.H.Abdel-Hamid and E.Spooner p55
Single-phase traction drive with solid-rotor induction motor and synchronous phase convertor. B.J.Chalmers, E.Spooner and R.H.Abdel-Hamid p285
Subsynchronous resonance of deep-bar induction motors. D.J.N.Limebeer and R.G.Harley p43
Subsynchronous resonance of single-cage induction motors. D.J.N.Limebeer and R.G.Harley p33

INDUCTORS AND INDUCTANCE

Optimised designs of toroidal cage coils. P.N.Murgatroyd and W.Farrer p195

INSTRUMENTATION AND MEASURING SCIENCE

Attenuation effects of under-track reinforcing on automatic train protection signalling systems. S.K.Tso, F.K.Lam, F.H.Y.Chan and R.K.Edgley p92
High-performance eddy-current dynamometers. B.J.Chalmers and B.J.Dukes d176

INSULATORS AND INSULATION

Effects of 3rd-harmonic voltage content on dielectric losses of solid insulating materials. I.Romano and R.Schifani p119

LINEAR MOTORS

Experimental and theoretical study of high-speed single-sided linear induction motors. M.Iwamoto, S.Sakabe, K.Itani, K.Kitagawa and G.Utsumi p306
New transfer-matrix theory of linear induction machines, taking into account longitudinal and transverse ferromagnetic end effects. K.Yoshida p225
Power-factor improvement in linear induction motors. E.R.Laithwaite and S.B.Kuznetsov p190

LOAD AND VOLTAGE REGULATION

Load-line diagrams applied to reactive compensated loads in AC systems. R.Yacamini p172
Modelling of traction load distortion in electricity supply systems. R.Yacamini, O.A.R.Hamoud and O.Afacan p149
Shorting-coil voltage regulator. P.Mehta, T.Thomson and A.Abdel Karim p52
Three-phase pulse-amplitude and width-modulated inverter system. S.M.Sriraghavan, B.D.Pradhan and G.N.Revankar p167

MAGNETIC DEVICES AND PROPERTIES

High-field self-starting permanent-magnet synchronous motor. K.J.Binns and M.A.Jabbar p157
Transient leakage flux in small universal motors. A.F.Anderson, T.Bedford and A.F.Craddock p253
Translational forces on discrete metallic objects in travelling magnetic fields. D.E.Hesmondhalgh and D.Tipping p137

MAGNETIC FIELDS

High-field self-starting permanent-magnet synchronous motor. K.J.Binns and M.A.Jabbar p157
Induction at a corner in perfect iron. J.Van Bladel p219
Translational forces on discrete metallic objects in travelling magnetic fields. D.E.Hesmondhalgh and D.Tipping p137

MATHEMATICAL TECHNIQUES

Experimental determination of synchronous machine parameters. L.Salvatore and M.Savino p212

MICROPROCESSORS

Dedicated-microprocessor scheme for thyristor phase control of multiphase convertors. S.K.Tso and P.T.Ho p101 d275

Microprocessor control of PWM inverters. S.R.Bowes and M.J.Mount p293

MODULATION

Technique for pulse dropping in pulse-width modulated inverters. D.A.Grant p67

MOTORS

Acoustic noise and pulsating torques in a triac-controlled permanent-split-capacitor fan motor. S.Williamson, D.Pearson and A.M.Rugege p201
Delta-star PAM. A.R.W.Broadway and J.L.Rodriguez p255
Effect of load on the tangential-force pulsations and harmonic torques of squirrel-cage induction motors. K.J.Binns and P.A.Kahan p207
Experience with London Transport's traction motors. L.C.Thorn p181
Experimental verification of resonant frequencies and vibration behaviour of stators of electrical machines. Part 1-Models, experimental procedure and apparatus. S.P.Verma and R.S.Girgis p12
Experimental verification of resonant frequencies and vibration behaviour of stators of electrical machines. Part 2-Experimental investigations and results. S.P.Verma and R.S.Girgis p22
Method for accurate determination of resonant frequencies and vibration behaviour of stators of electrical machines. R.S.Girgis and S.P.Verma p1
Predicting the pullout torque/speed curve of variable-reluctance stepping motors. P.P.Acarnley and A.Hughes p109
Transient leakage flux in small universal motors. A.F.Anderson, T.Bedford and A.F.Craddock p253

MOTORS, AC

Maching analysis with unbalanced terminal constraints by *d-q* harmonic balance. R.J.Kerkman p343
Power-factor improvement in linear induction motors. E.R.Laithwaite and S.B.Kuznetsov p190

MOTORS, DC

Automatic armature and field control of d.c. series motors. M.H.Rashid p73 d358

NOISE AND INTERFERENCE

Acoustic noise and pulsating torques in a triac-controlled permanent-split-capacitor fan motor. S.Williamson, D.Pearson and A.M.Rugege p201

POWER ELECTRONICS

Acoustic noise and pulsating torques in a triac-controlled permanent-split-capacitor fan motor. S.Williamson, D.Pearson and A.M.Rugege p201
Fault-current control in power conditioning units using power transistors. P.D.Evans and B.M.Saied p335
Induction motor drive from self-commutating inverter. D.B.Watson p79
Inverter drive for switched reluctance motor: circuits and component ratings. R.M.Davis, W.F.Ray and R.J.Blake p126
Microprocessor control of PWM inverters. S.R.Bowes and M.J.Mount p293
Negative sequence impedance of convertors. R.Yacamini and W.J.Smith p161
Optimised designs of toroidal cage coils. P.N.Murgatroyd and W.Farrer p195
Ratio changing in pulse-width-modulated inverters. D.A.Grant and R.Seidner p243
Technique for pulse dropping in pulse-width modulated inverters. D.A.Grant p67
Three-phase pulse-amplitude and width-modulated inverter system. S.M.Sriraghavan, B.D.Pradhan and G.N.Revankar p167

POWER SYSTEMS AND PLANT

Load-line diagrams applied to reactive compensated loads in AC systems. R.Yacamini p172

PULSE-CODE MODULATION

Three-phase pulse-amplitude and width-modulated inverter system. S.M.Sriraghavan, B.D.Pradhan and G.N.Revankar p167

RAILWAY ELECTRIFICATION AND TRANSPORTATION

Attenuation effects of under-track reinforcing on automatic train protection signalling systems. S.K.Tso, F.K.Lam, F.H.Y.Chan and R.K.Edgley p92
Electrification of the Tyne and Wear Metro. B.R.Prickett p81 d271
Experience with London Transport's traction motors. L.C.Thorn p181
Fail-safe speed sensor for London Transport automatic trains. R.J.Hill p277
Improvement to the booster transformer/return conductor method of suppressing 50 Hz interference from a.c.-electrified railway systems. J.R.Tierney and R.J.Turner p61

RELUCTANCE MOTORS

Aspects of the hypocycloidal reluctance motor. R.A.Ashen and H.R.Bolton p313
Inverter drive for switched reluctance motor: circuits and component ratings. R.M.Davis, W.F.Ray and R.J.Blake p126
Variable-speed switched reluctance motors. P.J.Lawrenson, J.M.Stephenson, P.T.Blenkinsop, J.Corda and N.N.Fulton d260 e276

SIMULATION

Dynamic response of a power-transformer winding under axial short-circuit conditions. D.A.Quinney p114
Experimental determination of synchronous machine parameters. L.Salvatore and M.Savino p212
Modelling of traction load distortion in electricity supply systems. R.Yacamini, O.A.R.Hamoud and O.Afacan p149

STABILITY

Load-line diagrams applied to reactive compensated loads in AC systems. R.Yacamini p172

STEPPING MOTORS

Predicting the pullout torque/speed curve of variable-reluctance stepping motors. P.P.Acarnley and A.Hughes p109

SWITCHES AND SWITCHING THEORY

Characteristics of electromagnetically driven helix arcs for DC switching. A.A.Afanasiev, M.R.Barrault, T.R.Blackburn, G.R.Jones and S.K.Sethuraman p249
Investigation of available toggle switches for thermostatic control systems. D.J.Mapps and P.J.White p237

SYNCHRONOUS MOTORS

Disc-geometry homopolar synchronous machine. P.D.Evans and J.F.Eastham d269
Experimental determination of synchronous machine parameters. L.Salvatore and M.Savino p212
High-field self-starting permanent-magnet synchronous motor. K.J.Binns and M.A.Jabbar p157
Single-phase drive system with a synchronous-phase convertor. B.J.Chalmers, R.H.Abdel-Hamid and E.Spooner p55

THYRISTORS AND THYRISTOR APPLICATIONS

Dedicated-microprocessor scheme for thyristor phase control of multiphase convertors. S.K.Tso and P.T.Ho p101 d275
Modelling of traction load distortion in electricity supply systems. R.Yacamini, O.A.R.Hamoud and O.Afacan p149

TRANSDUCERS

Cooling by heat pipe in a limited rotation rotary actuator. C.Dawson and H.R.Bolton p222

TRANSFER FUNCTIONS

New transfer-matrix theory of linear induction machines, taking into account longitudinal and transverse ferromagnetic end effects. K.Yoshida p225

TRANSFORMERS AND SWITCHGEAR

Dynamic response of a power-transformer winding under axial short-circuit conditions. D.A.Quinney p114

Numerical calculation df inrush current in single-phase transformers. R.Yacamini and A.Abu-Nasser p327

TRANSISTORS

Fault-current control in power conditioning units using power transistors. P.D.Evans and B.M.Saied p335

VIBRATION

Experimental verification of resonant frequencies and vibration behaviour of stators of electrical machines. Part 1-Models, experimental procedure and apparatus. S.P.Verma and R.S.Girgis p12
Experimental verification of resonant frequencies and vibration behaviour of stators of electrical machines. Part 2-Experimental investigations and results. S.P.Verma and R.S.Girgis p22
Method for accurate determination of resonant frequencies and vibration behaviour of stators of electrical machines. R.S.Girgis and S.P.Verma p1

Book Reviews

Electric machine theory for engineers: Van E. Mablekos p194
Electrical systems analysis and design for industrial plants: I. Lazar p175
Exterior lighting for industry and security: S.L. Lyons p175